

Price list

Diamond tools for Ceramic slabs



BIGGER

Compact machines for Ceramic big slabs



Description	Size	Max size of cut in length
BIGGER 3200	3950x1020	3200 mm.
BIGGER 3800	4600x1020	3800 mm.

Accessories

Description
Roller conveyor 1200x800
Laser kit
Cutting DIMA kit
Imballaggio - cassa in legno



POKER LINE BLADES

Suitable for cutting straight and 45°



Types	Ø	Height	Thickness	Core	Diatex code
GREScut	300	10	2,2	Normal	42374
	360	10	3,0	Normal	39510
	360	10	3,0	Silent	39511
	410	10	3,2	Normal	39512
	410	10	3,2	Silent	39513
DEKcut	300	10	2,2	Normal	42372
	360	10	3,0	Normal	39518
	360	10	3,0	Silent	39519
	410	10	3,2	Normal	39520
	410	10	3,2	Silent	39521
	460	10	3,6	Normal	40887
	460	10	3,6	Silent	40888
MITERcut	410	10	3,2	Reinforced	42067
LAPICut	300	10	2,2	Normal	42373
	360	10	3,0	Normal	39514
	360	10	3,0	Silent	39515
	410	10	3,2	Normal	39516
	410	10	3,2	Silent	39517
FORTYFIVE	350	8	2,6	Reinforced	39089
	400	8	2,6	Reinforced	39090



TOOLS FOR DRY AND MANUAL USE

DRY BLADES

Blades suitable for Ceramic slabs



Ø	Bore	Height	Thickness	Diatex code
105	22,2	7	0,8	41952
115	22,2	7	1,1	39793
125	22,2	7	1,1	39794

POLISHING PADS

Position	Ø	Use	Diatex
1	100	wet	42630
2	100	wet	42631
3	100	wet	42632



FLAP DISCS

Step	Ø	Grit	Use	Diatex code
1	115	60	dry	45084
2	115	120	dry	45085
3	115	200	dry	45086



DRY PROFILING WHEELS

Ø	Radius	Fitting
115	R10	M14F
115	R12	M14F



CORE DRILLS

Core drills for dry use



Ø	Fitting	Useful length	Total length
6	Cylindrical/M14	32/45	80
8	Cylindrical/M14	41/45	80
10	Cylindrical/M14	41/45	80
12	M14	45	80
14	M14	45	80
15	M14	45	80
16	M14	45	80
18	M14	45	80
20	M14	45	80
22	M14	45	80
25	M14	45	80
30	M14	45	80
35	M14	45	80
40	M14	45	80
45	M14	45	80
50	M14	45	80

Core drills for wet use



Ø	Rim thickness	Fitting	Useful length	Total length	Diatex code
6	1,0	1/2 gas	30	75	41519
8	1,0	1/2 gas	30	75	
10	1,0	1/2 gas	30	75	40070
12	1,0	1/2 gas	30	75	42956
15	1,0	1/2 gas	30	75	
20	1,0	1/2 gas	30	75	40071
22	1,0	1/2 gas	30	75	41686
25	1,0	1/2 gas	30	75	41477
30	1,0	1/2 gas	30	75	41478
35	1,0	1/2 gas	30	75	20987
40	1,0	1/2 gas	30	75	39853
45	1,0	1/2 gas	30	75	
50	1,0	1/2 gas	30	75	41479



MILLING FINGER

Suitable for all kind of Ceramic slabs



SEGMENTED FINGER

Ø	Length	Fitting	Diatex code
19	35	1/2 gas	41463

ROUTER FOR INCREMENTAL CUTTING



Ø	Length	Fitting	Diatex code
10	10	M12	43841
17,5	15	1/2 gas	44334
20	20	M12	42160
20	20	M12-SX	42161



CNC WHEELS

Wheels suitable for Ceramics



Profile		Diameter	POS 1	POS 2	POS 3	LUX 400-600	LUX 1000
E12		100	SEGM.	SEGM.	SEGM.		
T12		100	CR	CR	CR		
T20		100	CR	CR	CR		
YS12		100	CR	CR	CR		
YS20		100	CR	CR	CR		
Z12		100	SEGM.	CR	CR		
Z30		80	SEGM.	CR	CR		

